

08 RIDGELINE

Benefits of the road less traveled.

Sure, it would have to be rugged, powerful, capable. But it would also have to cover new territory, delivering comfort, efficiency and, yes, the kind of innovative thinking Honda is known for. That's why the Ridgeline is the first pickup to weld a rigid ladder frame to a solid unit body. Sport a good-handling 4-wheel independent suspension. And expand what's possible with smart items like a dual-action tailgate and a lockable In-Bed Trunk.* In recognizing it as a 2007 All-Star, *AUTOMOBILE Magazine* went on to say, "The Ridgeline has won over all of us. It's in line to be one of the most popular vehicles in the twenty years of our Four Seasons long-term tests." High praise, indeed.



Photographs taken in an approved designated off-road operating area.

COLOR

A smart look.

This is the fun part – putting together the look that you can call all yours. The Ridgeline comes in a variety of exterior and interior combinations to suit your style. And the glossy Honda finish is just as beautiful as it is durable. Just give your pride and joy a hose-down once in a while when you need a reminder.

Exterior/Interior Colors	RT	RTX	RTS	RTL
Billet Silver Metallic	Gray	Gray	Gray	Gray Leather
Dark Cherry Pearl	Beige	Beige	Beige	Beige Leather
Formal Black	Gray	Gray	Gray	Gray Leather
Nimbus Gray Metallic	Gray		Gray	Gray Leather
Steel Blue Metallic	Gray	Gray	Gray	Gray Leather
White	Beige	Beige	Beige	Beige Leather



SPECS + FEATURES

ENGINE				
3.5-Liter, 24-Valve, SOHC VTEC® V-6 Engine	Fresh-Air Intake			
247 hp @ 5750 rpm (SAE net)	Multi-Point Fuel Injection			
245 lb.-ft. @ 4500 rpm (SAE net)	Direct Ignition System with Immobilizer			
Bore and Stroke (mm): 89 x 93	ULEV-2 Emissions Rating (CARB)			
Compression Ratio: 10.0:1	100,000-Miles-or-More Tune-Up Interval*			
Drive-by-Wire™ Throttle System				
DRIVETRAIN				
5-Speed Automatic Transmission	Variable Torque Management® 4-Wheel-Drive System (VTM-4®)			
Gear Ratios: 1st: 2.693, 2nd: 1.566, 3rd: 1.023	Locking Rear Differential			
4th: 0.729, 5th: 0.531	Heavy-Duty Automatic-Transmission-Fluid Cooler			
Reverse: 1.889, Final Drive: 4.533				
TOWING				
Integrated Closed-Box Frame with Unit-Body Construction	Pre-Wired for Trailer Brake Controller			
Fully Boxed High-Strength Steel (HSS) Frame Rails and Crossmembers with Internal Stiffeners	6050-lb. Gross Vehicle Weight Rating (GVWR)			
Heavy-Duty Radiator with Dual 160-Watt Fans	10,085-lb. Gross Combined Weight Rating (GCWR)			
Heavy-Duty Power-Steering-Fluid Cooler	5000-lb. Towing Capacity¹			
Pre-Wired for 4- and 7-Pin Connectors	1550-lb. Total Payload Capacity			
Towing Package (Hitch and Wiring Harness) RTX only				
BODY/SUSPENSION/CHASSIS				
Stabilizer Bar (mm, front/rear): 23.0/25.4	All-Season Tires: P245/65 R17 105S			
Steering Ratio: 18.5:1	Steel-Reinforced Composite (SRC) Cargo Bed			
Steering Wheel Turns, Lock-to-Lock: 3.38	MacPherson Strut Front Suspension			
Turning Diameter, Curb-to-Curb (ft.): 42.6	Multi-Link Rear Suspension with Trailing Arms			
Power-Assisted Ventilated Front Disc/Solid Rear Disc Brakes (in.): 12.6/13.1	Variable Power-Assisted Rack-and-Pinion Steering			
17" Styled Steel Wheels (RT) / 17" Alloy Wheels (RTX, RTS, RTL)				
SAFETY				
3-Point Seat Belts at All Seating Positions	Anti-Lock Braking System (ABS)			
Front 3-Point Seat Belts with Automatic Tensioning System	Electronic Brake Distribution (EBD)			
Adjustable Front Seat-Belt Anchors	Vehicle Stability Assist™ (VSA) with Traction Control Brake Assist			
Dual-Stage, Dual-Threshold Front Airbags (SRS)	Tire Pressure Monitoring System (TPMS)			
Front Side Airbags with Passenger-Side Occupant Position Detection System (OPDS)	Lower Anchors and Tethers for Children (LATCH)			
Side Curtain Airbags with Rollover Sensor	Child-Proof Rear Door Locks			
Side-Impact Door Beams				
EXTERIOR MEASUREMENTS				
Wheelbase (in.)	122.0	122.0	122.0	122.0
Length (in.)	206.8	206.8	206.8	206.8
Height (in.)	70.3	70.3	70.3	71.2
Width (in.)	77.8	77.8	77.8	77.8
Track (in., front/rear)	671/66.9	671/66.9	671/66.9	671/66.9
Minimum Ground Clearance (in.)	8.2	8.2	8.2	8.2
Approach/Departure Angles (degrees)	24.5/22.0	24.5/18.9	24.5/22.0	24.5/22.0
Cargo Bed Length (in., tailgate up/down)	60.0/79.0	60.0/79.0	60.0/79.0	60.0/79.0
Cargo Bed Width (in., between wheelwells)	49.5	49.5	49.5	49.5
Heavy-Duty Tie-Down Cleats (6) Capacity (lbs. per cleat)	350	350	350	350
In-Bed Trunk™ Capacity (cu. ft.)	8.5	8.5	8.5	8.5
Curb Weight (lbs.)	4500	4513	4491	4537/4552 with Navigation
Weight Distribution (% front/rear)	58/42	58/42	58/42	58/42
INTERIOR MEASUREMENTS				
Headroom (in., front/rear)	40.7/39.1	40.7/39.1	40.7/39.1	
Headroom with Moonroof (in., front/rear)				38.7/39.0
Legroom (in., front/rear)	40.8/36.4	40.8/36.4	40.8/36.4	40.8/36.4
Shoulder Room (in., front/rear)	63.2/62.6	63.2/62.6	63.2/62.6	63.2/62.6
Hiproom (in., front/rear)	57.6/57.1	57.6/57.1	57.6/57.1	57.6/57.1
Passenger Volume (cu. ft.)	112.0	112.0	112.0	108.9
2nd-Row Underseat Storage (cu. ft.)	2.6	2.6	2.6	2.6
Seating Capacity	5	5	5	5
EPA MILEAGE ESTIMATES²/CAPACITIES				
5-Speed Automatic (City/Highway)	15/20	15/20	15/20	15/20
Crankcase (qt.)	5.3	5.3	5.3	5.3
Coolant System (qt.)	8.5	8.5	8.5	8.5
Fuel (gal.)	22.0	22.0	22.0	22.0

*Does not apply to fluid and filter changes. Exact mileage is determined by actual driving conditions. Please see your owner's manual for more details.

EXTERIOR FEATURES	RT	RTX	RTS	RTL
Power Moonroof				
Dual-Action Tailgate	•	•	•	•
In-Bed Trunk*	•	•	•	•
Variable Intermittent Windshield Wipers with Automatic Heated Wiper Zone	•	•	•	•
Remote Entry System	•	•	•	•
Security System	•	•	•	•
Privacy Glass	•	•	•	•
Heat-Rejecting Green-Tinted Glass	•	•	•	•
Body-Colored Door Handles	•	•	•	•
Folding Power Side Mirrors	•	•	Body-Colored	Body-Colored/Heated
Integrated Bed Lights (4) with Auto-Off Timer	•	•	•	•
Heavy-Duty Tow Hooks (front and rear)	•	•	•	•
Hidden Roof-Mounted Antenna	•	•	•	•
Multi-Reflector Halogen Headlights with Auto-Off	•	•	•	•
Alloy Wheels		Painted	Machine-Finished	Machine-Finished
Chrome Grille	Accessory	•	Accessory	Accessory

COMFORT & CONVENIENCE	RT	RTX	RTS	RTL
Air Conditioning with Air-Filtration System	•	•		
Dual-Zone Automatic Climate Control with Air-Filtration System			•	•
Honda Satellite-Linked Navigation System** ³ with Voice Recognition				Available
Power Windows with Auto-Up/Down Driver's Window	•	•	•	•
Power Sliding Rear Cabin Window	•	•	•	•
Power Door Locks	•	•	•	•
Steering Wheel-Mounted Controls	Cruise	Cruise	Cruise/Audio	Cruise/Audio/ Navi (Available)
Cruise Control	•	•	•	•
Leather-Wrapped Steering Wheel				
Adjustable Steering Column	•	•	•	•
Multifunctional Center Storage Console with Sliding Armrest	•	•	•	•
Driver's and Front Passenger's Illuminated Vanity Mirrors	•	•	•	•
HomeLink® Remote System ⁴				•
Ambient Console Lighting				•
Map Lights	•	•	•	•
Sunglasses Holder	•	•	•	•
Rearview Mirror with Compass				without Navigation
Beverage Holders (2 front, 4 rear)	•	•	•	•
12-Volt Power Outlets (2 front, 1 rear)	•	•	•	•
Door-Pocket Storage Bins	•	•	•	•
Grab Rails (front and rear)	•	•	•	•
Flat Rear Floor	•	•	•	•
All-Weather Heavy-Duty Floor Mats	•	•	•	•

SEATING	RT	RTX	RTS	RTL
Leather-Trimmed Seats				•
Heated Front Seats				•
Driver's Seat Adjustment	6-Way Manual	6-Way Manual	8-Way Power	8-Way Power
Driver's Seat with Lumbar Support			Manual	Power
60/40 Lift-Up Rear Seat with Under-Seat Storage	•	•	•	•
Head Restraints at All Seating Positions	•	•	•	•

AUDIO SYSTEMS	RT	RTX	RTS	RTL
100-Watt AM/FM/XM Ready ⁵ /CD Audio System with 6 Speakers	•	•		
160-Watt AM/FM/XM Ready ⁵ /6-Disc In-Dash CD Changer Audio System with 7 Speakers, Including Subwoofer			•	•
XM ⁶ Satellite Radio ⁶				•
MP3/Auxiliary Input Jack				with Navigation

¹Towing requires the addition of the Honda accessory trailer hitch and harness on all trims, excluding RTX. Premium unleaded fuel recommended when towing. Refer to the owner's manual for additional towing information. ²Based on 2008 EPA mileage estimates, reflecting new EPA fuel economy methods beginning with 2008 models. Use for comparison purposes only. Do not compare to models before 2008. Your actual mileage will vary depending on how you drive and maintain your vehicle. ³The Honda Satellite-Linked Navigation System is available only in the 48 contiguous United States on RTL models. ⁴HomeLink® is a registered trademark of Prince Corporation, a wholly owned subsidiary of Johnson Controls.™ ⁵Required XM® Radio monthly subscription sold separately after 90-day trial period. Installation costs and other fees and taxes may apply after initial trial period, including a one-time activation fee. Subscription fee is consumer only. All fees and programming subject to change. Subscriptions subject to Customer Agreement available at xmradio.com. XM service only available in the 48 contiguous United States. The XM name is a registered trademark of XM Satellite Radio Inc. ⁶3-Year/36,000-Mile Limited Warranty, 5-Year/60,000-Mile Limited Powertrain Warranty. Ordinary maintenance or adjustments, parts subject to normal wear and replacement, and certain items are excluded. See your Honda dealer for terms and conditions of the limited warranties. **Always use seat belts and appropriate child seats. Children 12 and under are safest when properly restrained in the rear seat.** Specifications, features, illustrations and equipment shown in this brochure are based upon the latest available information at the time of printing. Although descriptions are believed to be correct, accuracy cannot be guaranteed. American Honda Motor Co., Inc., reserves the right to make changes at any time, without notice or obligation, in colors, specifications, accessories, materials and models. Some features mentioned herein are not available in all areas. See your Honda dealer for details. Some vehicles may be shown with optional equipment. Available = Optional. All images contained herein are either owned by American Honda Motor Co., Inc., or used under a valid license. It is a violation of federal law to reproduce these images without express written permission from American Honda Motor Co., Inc., or the individual copyright owner of such images. Honda Financial Services is a DBA of American Honda Finance Corporation. Honda, the H-mark symbol, Honda Care, Honda Satellite-Linked Navigation System, Drive-by-Wire, In-Bed Trunk, Variable Torque Management, Vehicle Stability Assist, VSA, VTEC and VTM-4 are trademarks of Honda Motor Co., Ltd. © 2007 American Honda Motor Co., Inc.



Want your own look? Ask your dealer about Honda Genuine Accessories. They're designed, engineered and tested to meet the same exacting standards as your new vehicle – a high-quality way to make your new Honda one of a kind.



The **Lifestyle Package** ups the Ridgeline's utility with a towing package, a roof rack and bed extender. And if installed by your dealer at the time of purchase, accessories are covered by Honda's 3-year/36,000-mile New-Vehicle Limited Warranty.⁶



Your dealer's team of trained technicians is ready to help keep your Honda in superb shape. All 2008 Honda vehicles – and any Honda Genuine Accessories installed at the time of purchase – are covered by the 3-year/36,000-mile New-Vehicle Limited Warranty.⁶ Plus, Honda cars and trucks are covered by a 5-year/60,000-mile Limited Powertrain Warranty, too.⁶ For more information or assistance, see your Honda dealer or please give us a call at 1-800-33-Honda.



Whether you buy or lease a Honda vehicle, **Honda Financial Services** can assist you with the process. Please ask your dealer which lease or purchase plan best suits your needs.



Honda Care™ is a highly affordable, comprehensive vehicle and travel protection plan backed by Honda reliability, service and parts. Please see your dealer for all the details.